

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re A	pplication of:)
	Baleta, et al.	Group Art Unit: 2863
Serial N	o.: 10/723,176	Examiner: Le, Toan M.
Filed:	November 26, 2003) Docket No. 712001.1010
For: Modular Telecommunication Test Unit		<u>(</u>

DECLARATION UNDER 37 C.F.R. §1.131

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

We, Pere Baleta, Salvador Borras, Jordi Colomer, and Thomas Neher state as follows:

1.

We are coinventors of the inventions defined in the pending claims of the aboveidentified patent application and of the subject matter described therein.

2.

Prior to October 3, 2003, in Spain, we conceived the idea of a telecommunication test unit for evaluating the performance of one or more data links. Such a test unit has a rear module and a front module. The rear module has a power source for providing power to the various components of the test unit, and the front module controls the test unit and processes performance information indicative of the performance of one or more

data links being monitored by the test unit. Further, one or more application modules are removably coupled to the test unit between the front and rear modules. The front module, rear module, and one or more application modules are secured together in a stacking arrangement in which each module is stacked on another module. One or more application modules, when coupled to the test unit, are mechanically secured between the front and rear modules and are electrically connected to the rear module. In this regard, each module in the test unit is latched to another module via a mechanical latch. Further, each application module is also electrically coupled to a respective data link being monitored and provides performance information regarding this data link. In particular, each application module has an interface circuit coupled to the data link being monitored by the application module. Each application module also has a link processing circuit and connectors. Data received from the monitored data link via the interface circuit is converted by the link processing circuit for transfer to the front module over a test unit bus. The connectors are on both sides of the application module and provide bus connectivity between the front and rear module. Each application module can be removed from the test unit and, if desired, replaced with another application module. Further, each application module is configured to perform a different type of test, relative to the other application modules of the test unit, on the data link electrically coupled to it. Thus, a user can control and change which application modules are inserted into the test unit thereby changing the types of tests that can be performed by the test unit. Moreover, diagnostic information from each of the application modules is transmitted to control logic in the front module, and this control logic provides an output indicative of the diagnostic information.

3.

Prior to October 3, 2003, we disclosed our idea for the test unit described above in Paragraph 2 to others employed by Trend Communications, Inc. (hereinafter "Trend"), the assignee of the instant application. Based on our disclosure, Trend constructed or hired others to construct several test units in accordance with the above description in

Paragraph 2 prior to October 3, 2003, in Spain. These test units were successfully used to monitor at least one data link prior to October 3, 2003.

4.

Prior to October 3, 2003, a magazine advertisement for the test units described above in Paragraph 3 was published in Europe. A copy of this magazine advertisement is attached herewith as Exhibit A. Notably, the advertisement includes a picture of at least one of the working test units described above in paragraph 3.

Prior to October 3, 2003, Trend received a purchase order from a Spanish customer, Albura, for one of the test units described above in Paragraphs 2 and 3. A copy of this purchase order is attached herewith as Exhibit B. The purchase order is dated prior to October 3, 2003. Information pertaining to dates and purchase prices have been redacted from Exhibit B to prevent this information from being published via publication of the instant application or any patent issuing thereon.

Prior to October 3, 2003, Trend shipped a working test unit, as described above in Paragraphs 2 and 3, to Albura in accordance with the purchase order of Exhibit B. A copy of the invoice for this shipment is attached herewith as Exhibit C. Based on the model numbers included in the invoice, it can be determined that the shipped test unit included a front module, a rear module, and an application module, as described above in Paragraph 2. The invoice of Exhibit C is dated prior to October 3, 2003. Information pertaining to dates and purchase prices have been redacted from Exhibit C to prevent this information from being published via publication of the instant application or any patent issuing thereon. In accordance with Trend's normal operating procedures, the invoice of Exhibit C would have been issued on the same day of shipment. Thus, the invoice

establishes that a test unit in accordance with Paragraphs 2 and 3 was shipped by Trend to Albura prior to October 3, 2003.

Prior to October 3, 2003, Trend shipped an additional application module to Albura in accordance with the purchase order of Exhibit B. A copy of the invoice for this shipment is attached herewith as Exhibit D. The invoice of Exhibit D is dated prior to October 3, 2003. Information pertaining to dates and purchase prices have been redacted from Exhibit D to prevent this information from being published via publication of the instant application or any patent issuing thereon. In accordance with Trend's normal operating procedures, the invoice of Exhibit D would have been issued on the same day of shipment. Thus, the invoice establishes that an additional application module was shipped by Trend to Albura prior to October 3, 2003.

8.

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FURTHER DECLARANTS SAYETH NOT.

DM	November 4th 2007
Pere Baleta	Date
	No vendoer 4th 2005
Salvador Borras	Date
de la constant de la	Naventer, 4+4 2005
Jord Colomet	Date
M	November 4th 2005
Thomas Neher	Date



TrendCommunications


VictoriaCombo

Stackable Test Platform for Next Generation Networks



Modular, stackable, expandable.

YOU can build the multi-interface,
multi-technology instrument for YOUR
individual SDH/SONET test applications.



Ergonomic working with unique **multi-position** desk leg

Unique user interface on a colour TFT touchscreen



TCP/IP connectivity allows anyone with a standard browser to control VictoriaCombo from anywhere through any network




Battery operated, go-anywhere testing. Use power where available, battery where not. Robust design accepts the knocks of everyday field use.




Integrate the instruments in your work-flow devices



Wireless LAN mobility and control. Keep your toughbook active.



10G SDH & SONET



infoline@trendcomms.com www.trendcomms.com



TrendCommunications

Testing the World's Networks
BEST AVAILABLE COPY







PEDIDO Nº

42000111

FECHA:

┌ 20525

TREND COMMUNICATIONS A la Att. de: Jose Antonio Polo C/ Pujades, 60 08005 Barcelona

PEDIDO

Envio:

CJ.F. A-6283×394

ELECTRICA TELESCINAMENCIONES, S.A. - 1903E242 IMPRESIONE

Página: 1 de 1

REPERENCIA DEL PROVEEDOR - S/Oferta: P20321 En: Red Eléctrica Telecomunicac.

de fecha:

fecha:

A la Att.: Ger.Ing.Constr.Inf Domicilio: Avda. de Bruselas, 20

28108-Alcobendas

CONDICIONES DE FACTURACIÓN: 100% a la aceptación

Sus medios

Porte: CPT Porte pagado

Embalaje: Incluido

Moneda:

Pago: Pago a 90 días, hasta el día 15 del mes

CONDICIONES DE ENTREGA -

N/A

CONDICIONES DE CALIDAD: Código Material/Concepto/Especificación Técnica UM Cantidad Precio Unit. Importe(gur) Pos Set Victoria COMBO para aplicaciones SDH/SONST a 0010 10025 10 y 2.5 Gbits/s(Analizador SDH STM-16 / STM-64 ហា 1" Victoria 3060C (ANALIZADORES SDH STM-1 / STM-4) UD 2 0020 10025 Ser Q8326- Medidor de fibra óptica ADVANTEST UD 1 0030 10025 NOTAS: -Observaciones de pedido Coordinar con: Juan Mª Hernández

Director de Medios

EXHIBIT

IMPORTE BRUTO (EUR

Dto./Cargo...(

0.00

IVA..... (16,00%)

PEDIDO SUJETO A MUSSTRAS CONDICIONES GENERALES DE CONTRATACIÓN.
DEVOLVER UNA COPIA PIRMADA DE ESTE PEDIDO.
LAS PACTURAS DESEIGAM ENVIARSE AL DEPARTAMENTO DE CONTASILIDAD PARA PODER ATENDER 1.03 PAGOS
EN 105 PLAZOS PREVISTOS.
EN IMPRESCINDIBLE HAGER CONSTAR EL MÓMERO DE ESTE DOCUMENTO EN LUGAR DESTACADO DE ALBARAMES.
PACTURAS Y TODOS CUANTOS DOCUMENTOS SE REPIERAN A ESTE PEDIDO.

TOTAL (EUR





HIS TO A THE COURT OF THE COURT RED ELECTRICA ESPAÑOLA DE TELECOM. S.A. P° CONDE DE LOS GAITANES 177 28100 ALCOBENDAS (Madrid) ESPAÑA A82806399 2130

PROVEEDOR / CUSTOMER # 166 AGENTE / REP.

ES03400168

CAVEURECCIONEACTURAZOCCUMENTADURESEZZA

RED ELECTRICA ESPAÑOLA DE TELECOM. S.A. ALBURA - RED ELECTRICA DE TELECOM. AVDA BRUSELAS, E. GORBEA 4 20 28108 ALCOBENDAS (Madrid) ESPAÑA


100886

Pagina/Page:

TREE CONTROL DESCRIPCION DESCRIPCION DE SCRIPCION DE CONTROL DE CO SU PEDIDO / YOUR ORDER: 42000111 ALBARAN / PACKING LIST: C2 /300644 001 **COMBO10** VICTORIA COMBO 10 Gblt/s CDISP N/S 02DB0008, CREAR N/S 02EB0008, C10 N/S 02FB0008, C10R N/S 02GB0008 CP3FC CABLE OPTICO FC-PC/FC-PC 3m CABLE OPTICO FC-PC/FC-APC 3m **CPFC3FCAPC** CPFC2SCPC CABLE OPTICO FC-PC/SC-PC 2m CPFC2SCAPC CABLE OPTIÇO FC-PC/SC-APC 2m CA220 CABLE 75 Ohm BNC-BNC CA260 CABLE RS-232C 9M-9H MOCOMBOS GUIA RAPIDA COMBO CASTELLANO Operación asegurada en Crédito y Caución

VENCIMENTOS: 2. ASSENDADA DE C **EUR EURO** 2009 TRANSFER 90 DIAS FF. BANC DE SABADELL RBLA POBLENOU, 108 - BCN 0001061511 0081 0065 10

Pujades, 60 - 08005 Barcelona (Spain) - Tel. +34 93 300 3313 - Fax +34 93 309 2385 - www.trendcomms.com - info@ict.es



BEST AVAILABLE COPY

Inscripción 5º, Trand Communications 8.L., CJFNAT, ES 8-51.930.244 Folio 66, 6 tissuita en el Pegostic Mercaniil de Bascetona, Tomo 31,354, Hoja B-193,549.





Wester of the second se

RED ELECTRICA ESPAÑOLA DE TELECOM. S.A. P° CONDE DE LOS GAITANES 177 28100 ALCOBENDAS (Madrid) ESPAÑA A82806399

2130

PROVEEDOR / CUSTOMER #

AGENTE / REP.

Inscripción 5º. Frend Communications S.L., CIF/AT; ES 8-61,930.244

inacrita en el Registro Mercantil de Barcetona, Tomo 31.554, Hoja B-193.649, Foto 66.

166

ES03400317

A WREEGONBACKURAYABOOWENT ADDRESS


RED ELECTRICA ESPAÑOLA DE TELECOM. S.A. ALBURA - RED ELECTRICA DE TELECOM. AVDA BRUSELAS,E.GORBEA 4 20 28108 ALCOBENDAS (Madrid) **ESPAÑA**

100886

Pagina/Page:

HERE ALL COMES CONSIDERATION OF THE CONTRACT O PARTICION DE LA COMPANSION DE LA COMPANS SU PEDIDO / YOUR ORDER: 42000111 ALBARAN / PACKING LIST: C2 /300645 001 C25C4 MOD 2.5 Gbit's COMBO DOBLE TX N/S 02IB0008 PRESTACIONES AVANZADAS C25561 C25552 **TEST DS-3 EUR EURO** TRANSFER 90 DIAS FF. 2009 BANC DE SABADELL RBLA POBLENOU, 108 - BCN 0081 0065

Pujades, 60 - 08005 Barcetona (Spain) - Tel. +34 93 300 3313 - Fax +34 93 309 2385 - www.trendcomms.com - info@icl.es



BEST AVAILABLE COPY

10

0001061511